INDEX TO AUTHORS

A

ARONSON, JOHN, and INOUÉ, SHINYA. Reversal by light of the action of *N*-methyl *N*-desacetyl colchicine on mitosis, 470

B

BAGGIOLINI, MARCO, HIRSCH, JAMES G., and DE DUVE, CHRISTIAN. Further biochemical and morphological studies of granule fractions from rabbit heterophil leukocytes, 586

BAINTON, DOROTHY FORD, and FARQUHAR, MARILYN G. Segregation and packaging of granule enzymes in eosinophilic leukocytes, 54

BARLAND, PETER, and SCHROEDER, ELEANOR A. A new rapid method for the isolation of surface membranes from tissue culture cells, 662

BENEDETTO, ARRIGO. See DJACZENKO, BENEDETTO, and PEZZI, 173

BENNETT, GARY. Migration of glycoprotein from Golgi apparatus to cell coat in the columnar cells of the duodenal epithelium, 668

BIRD, JOHN W. C. See CANONICO and BIRD, 321

BLOBEL, G., and SABATINI, D. D. Controlled proteolysis of nascent polypeptides in rat liver cell fractions. I. Location of the polypeptides within ribosomes, 130

—. See SABATINI and BLOBEL, 146

BLOMSTRAND, CHRISTIAN. See HAMBERGER, BLOMSTRAND, and LEHNINGER, 221

BOQUIST, LENNART. Cilia and vesicular particles in the endocrine pancreas of the Mongolian gerbil, 532

BOSMANN, H. BRUCE, and WINSTON, R. ALAN. Synthesis of glycoprotein, glycolipid, protein, and lipid in synchronized L5178Y cells, 23

BRANTON, DANIEL. See PINTO DA SILVA and BRANTON. 598

BRIGGS, L. See RECHER, WHITESCARVER, and BRIGGS, 479

BROWN, R. MALCOLM, JR., FRANKE, WERNER W., KLEINIG, HANS, FALK, HEINZ, and SITTE, PETER. Scale formation in chrysophycean algae. I. Cellulosic and noncellulosic wall components made by the Golgi apparatus, 246

BRYAN, JOSEPH. On the reconstitution of the crystalline components of the sea urchin fertilization membrane, 606

BUDER, E. See ZIRWER, BUDER, SCHÄLIKE, and WETZEL, 431

BUEDING, ERNEST. See CHILDRESS, SACKTOR, GROSSMAN, and BUEDING, 83

BUNGE, R. P. See MIRE, HENDELMAN, and BUNGE, 9

C

CANONICO, PETER G., and BIRD, JOHN W. C. Lysosomes in skeletal muscle tissue. Zonal centrifugation evidence for multiple cellular sources, 321

CHAN, T. L., GREENAWALT, JOHN W., and PEDERSEN, PETER L. Biochemical and ultrastructural properties of a mitochondrial inner membrane fraction deficient in outer membrane and matrix activities, 291

CHEN, TCHAW-REN. See KLEBE, CHEN, and RUDDLE, 74

CHILDRESS, CHARLES C., SACKTOR, BERTRAM, GROSSMAN, I. WILLIAM, and BUEDING, ERNEST. Isolation, ultrastructure, and biochemical characterization of glycogen in insect flight muscle. 83

CLELAND, STORY. See HEPLER, MCINTOSH, and CLELAND, 438

COCUCCI, S. M., and SUSSMAN, M. RNA in cytoplasmic and nuclear fractions of cellular slime mold amebas, 399

CRAIG, NESSLY C., and PERRY, ROBERT P. Aberrant intranucleolar maturation of ribosomal precursors in the absence of protein synthesis, 554

D

DANIEL, CHARLES W. See SCOTT and DANIEL, 461

DE DUVE, CHRISTIAN. See BAGGIOLINI, HIRSCH, and DE DUVE, 586

—. See POOLE, HIGASHI, and DE DUVE, 408

DJACZENKO, WIKTOR, BENEDETTO, ARRIGO, and PEZZI, RENATO. Formation of helical polyribosomes in poliovirus-infected cells of the 37 RC line, 173

DORFMAN, ALBERT. See HORWITZ and DORFMAN, 434

DYCKMAN, JACOB, and WELTMAN, JOEL K. A morphological analysis of binding of a hydrophobic probe to cells, 192

F

FALK, HEINZ. See BROWN, FRANKE, KLEINIG, FALK, and SITTE, 246

FARQUHAR, MARILYN G. See BAINTON and FARQUHAR, 54

FINEGOLD, MILTON J., and GREENE, LAURA E. Mitochondrial damage in experimental congenital adrenal hyperplasia, 455

FISCHMAN, DONALD A. See WEINBAUM, FISCHMAN, and OKUDA, 493

FRANKE, WERNER W. See BROWN, FRANKE, KLEINIG, FALK, and SITTE, 246

FREED, JEROME J., and LEBOWITZ, MARCIA M. The association of a class of saltatory movements with microtubules in cultured cells, 334

G

GELFANT, SEYMOUR. See PEDERSON and GELFANT, 183

GHOSH, SIBDAS, and GHOSH, IRA. DNA synthetic pattern in the nucleolus. II. Chinese hamster cells, 181

—, LETTRÉ, RENATE, and GHOSH, IRA. DNA synthetic pattern in the nucleolus. I. Chicken fibroblasts, 177

GHOSH, IRA. See GHOSH and GHOSH, 181

—. See GHOSH, LETTRÉ, and GHOSH, 177

GIACOMELLI, FILIBERTO, WIENER, JOSEPH, and SPIRO, DAVID. Cross-striated arrays of filaments in endothelium, 188

GOODENOUGH, DANIEL A., and REVEL, JEAN-PAUL. A fine structural analysis of intercellular junctions in the mouse liver, 272

GREENAWALT, JOHN W. See CHAN, GREENAWALT, and PEDERSEN, 291

GREENE, LAURA E. See FINEGOLD and GREENE, 455

GRILLO, MARY A. Cytoplasmic inclusions resembling nucleoli in sympathetic neurons of adult rats, 100

GRIM, J. NORMAN. Ultrastructure of ciliary microtubules after critical point drying, 466

GROSSMAN, I. WILLIAM. See CHILDRESS, SACKTOR, GROSSMAN, and BUEDING, 83

H

HAMA, KIYOSHI, and NAGATA, FUMIO. A stereoscope observation of tracheal epithelium of mouse by means of the high voltage electron microscope, 654

HAMBERGER, ANDERS, BLOMSTRAND, CHRISTIAN, and LEHNINGER, ALBERT L. Comparative studies on mitochondria isolated from neuron-enriched and glia-enriched fractions of rabbit and beef brain, 221

HARRINGTON, J. T. See SHELTON, KUFF, MAXWELL, and HARRINGTON, 1

HARRISON, DAVID E. F. Undamped oscillations of pyridine nucleotide and oxygen tension in chemostat cultures of *Klebsiella aerogenes*, 514

HENDELMAN, W. J. See MIRE, HENDELMAN, and BUNGE, 9

HEPLER, PETER K., MCINTOSH, J. RICHARD, and CLELAND, STORY. Intermicrotubule bridges in the mitotic spindle apparatus, 438

HERNDON, ROBERT M. See SEIL and HERNDON, 212

HERRMANN, R. G., and KOWALLIK, K. V. Selective presentation of DNA-regions and membranes in chloroplasts and mitochondria, 198

HICKS, R. M., and KETTERER, B. Isolation of the plasma membrane of the luminal surface of rat bladder epithelium, and the occurrence of a hexagonal lattice of subunits both in negatively stained whole mounts and in sectioned membranes, 542

HIGASHI, TOKUHIKO. See POOLE, HIGASHI, and DE DUVE, 408

HIRSCH, JAMES G. See BAGGIOLINI, HIRSCH, and DE DUVE, 586

HORWITZ, ALLEN L., and DORFMAN, ALBERT. The growth of cartilage cells in soft agar and liquid suspension, 434

I

ICHIKAWA, YOSHIYUKI, KURODA, MASAO, and YAMANO, TOSHIO. Zonation of hemoprotein P-450 and cytochrome b_5 in the adrenocortex of mammals, 640

INOUÉ, SHINYA. See ARONSON and INOUÉ, 470

J

JASIŃSKI, ANDRZEJ. See KILARSKI and JASIŃSKI, 205

K

KANE, R. E. Direct isolation of the hyaline layer protein released from the cortical granules of the sea urchin egg at fertilization, 615

KAYE, JEROME S. The fine structure and arrangement of microcylinders in the lumina of flagellar fibers in cricket spermatids, 416

KETTERER, B. See HICKS and KETTERER, 542

KILARSKI, WINCENTY, and JASIŃSKI, ANDRZEJ. The formation of multivesicular bodies from the nuclear envelope, 205

KLEBE, ROBERT J., CHEN, TCHAW-REN, and RUDDLE, FRANK H. Controlled production of proliferating somatic cell hybrids, 74

KLEINIG, HANS. See BROWN, FRANKE, KLEINIG, FALK, and SITTE, 246

KOWALLIK, K. V. See HERRMANN and KOWALLIK, 198

KUFF, EDWARD L. See SHELTON, KUFF, MAXWELL, and HARRINGTON, 1

KUMAR, AJIT. Ribosome synthesis in *Tetrahymena pyriformis*, 623

KURODA, MASAO. See ICHIKAWA, KURODA, and YAMANO, 640

L

LEBOWITZ, MARCIA M. See FREED and LEBOWITZ, 334

LEE, SIN HANG. The possible role of the vesicles in renal ammonia excretion. An implication of concentrated glutamic oxalacetic transaminase, 644

LEGG, PETER G., and WOOD, RICHARD L. New observations on microbodies. A cytochemical study on CPIB-treated rat liver, 118

—. See WOOD and LEGG, 576

LEHNINGER, ALBERT L. See HAMBERGER, BLOMSTRAND, and LEHNINGER, 221

LETTRÉ, RENATE. See GHOSH, LETTRÉ, and GHOSH, 177

LIBANATI, CÉSAR M. See TANDLER, LIBANATI, and SANCHIS, 355

M

MacRae, Edith K., and Meetz, Gerald D. Electron microscopy of the ammoniacal silver reaction for histones in the erythropoietic cells of the chick, 235

Mahowald, Anthony P., and Strassheim, Joan M. Intercellular migration of centrioles in the germarium of *Drosophila melanogaster*. An electron microscope study, 306

Marchesi, Vincent T. See Tillack and Marchesi, 649

Maxwell, Elizabeth S. See Shelton, Kuff, Maxwell, and Harrington, 1

McIntosh, J. Richard. See Hepler, McIntosh, and Cleland, 438

McLean, Robert J., and Pessoney, George F. A large scale quasicrystalline lamellar lattice in chloroplasts of the green alga *Zygnema*, 522

Meetz, Gerald D. See MacRae and Meetz, 235

Mire, J. J., Hendelman, W. J., and Bunge, R. P. Observations on a transient phase of focal swelling in degenerating unmyelinated nerve fibers, 9

Mohos, Steven C. and Skoza, Lorant. Variations in the sialic acid concentration of glomerular basement membrane preparations obtained by ultrasonic treatment, 450

N

Nagata, Fumio. See Hama and Nagata, 654

Newcomb, Eldon H. See Palevitz and Newcomb, 383

O

Okuda, Shinichi. See Weinbaum, Fischman, and Okuda, 493

P

Palevitz, Barry A., and Newcomb, Eldon H. A study of sieve element starch using sequential enzymatic digestion and electron microscopy, 383

Payton, B. W. Histological staining properties of Procion Yellow M4RS, 659

Pedersen, Peter L. See Chan, Greenawalt, and Pedersen, 291

Pederson, Thoru, and Gelfant, Seymour. Macromolecular synthesis in dogfish peripheral blood cells, 183

—, and Robbins, Elliott. Absence of translational control of histone synthesis during the HeLa cell life cycle, 509

Perry, Robert P. See Craig and Perry, 554

Pessoney, George F. See McLean and Pessoney, 522

Pezzi, Renato. See Djaczenko, Benedetto, and Pezzi, 173

Pinto da Silva, Pedro, and Branton, Daniel. Membrane splitting in freeze-etching. Covalently bound ferritin as a membrane marker, 598

Poole, Brian, Higashi, Tokuhiko, and de Duve, Christian. The synthesis and turnover of rat liver peroxisomes. III. The size distribution of peroxisomes and the incorporation of new catalase, 408

R

Recher, L., Whitescarver, J., and Briggs, L. A cytochemical and radioautographic study of human tissue culture cell nucleoli, 479

Revel, Jean-Paul. See Goodenough and Revel, 272

Robbins, Elliott. See Pederson and Robbins, 509

Rodewald, Richard. Selective antibody transport in the proximal small intestine of the neonatal rat, 635

Rosenbaum, Robert M., and Wittner, Murray. Ultrastructure of bacterized and axenic trophozoites of *Entamoeba histolytica*, with particular reference to helical bodies, 367

Ruddle, Frank H. See Klebe, Chen, and Ruddle, 74

S

Sabatini, D. D., and Blobel, G. Controlled proteolysis of nascent polypeptides in rat liver cell fractions. II. Location of the polypeptides in rough microsomes, 146

—. See Blobel and Sabatini, 130

Sacktor, Bertram. See Childress, Sacktor, Grossman, and Bueding, 83

Sanchis, Carlos A. See Tandler, Libanati, and Sanchis, 355

Schälike, W. See Zirwer, Buder, Schälike, and Wetzel, 431

Scheer, Ulrich. The ultrastructure of the nuclear envelope of amphibian oocytes: a reinvestigation. III. Actinomycin-induced decrease in central granules within the pores, 445

Schroeder, Eleanor A. See Barland and Schroeder, 662

Scott, Dougald G., and Daniel, Charles W. Filaments in the division furrow of mouse mammary cells, 461

Seil, Fredrick J., and Herndon, Robert M. Cerebellar granule cells in vitro. A light and electron microscope study, 212

Shelton, Emma, Kuff, Edward L., Maxwell, Elizabeth S., and Harrington, J. T. Cytoplasmic particles and aminoacyl transferase I activity, 1

Sheridan, Judson D. Low-resistance junctions between cancer cells in various solid tumors, 91

Sitte, Peter. See Brown, Franke, Kleinig, Falk, and Sitte, 246

Skoza, Lorant. See Mohos and Skoza, 450

Solari, A. J., and Tres, Laura L. The three-dimensional reconstruction of the XY chromosomal pair in human spermatocytes, 43

Spiro, David. See Giacomelli, Wiener, and Spiro, 188

Spitzer, Nicholas C. Low-resistance connections between cells in the developing anther of the lily, 565

STRASSHEIM, JOAN M. See MAHOWALD and STRASSHEIM, 306
SUSSMAN, M. See COCUCCI and SUSSMAN, 399

T

TANDLER, CARLOS J., LIBANATI, CÉSAR M., and SANCHIS, CARLOS A. The intracellular localization of inorganic cations with potassium pyroantimonate. Electron microscope and microprobe analysis, 355
TILLACK, THOMAS W., and MARCHESI, VINCENT T. Demonstration of the outer surface of freeze-etched red blood cell membranes, 649
TRELSTAD, ROBERT L. The Golgi apparatus in chick corneal epithelium: changes in intracellular position during development, 34
TRES, LAURA L. See SOLARI and TRES, 43

W

WEINBAUM, GEORGE, FISCHMAN, DONALD A., and OKUDA, SHINICHI. Membrane modifications in nutritionally induced filamentous *Escherichia coli* B, 493
WELTMAN, JOEL K. See DYCKMAN and WELTMAN, 192
WETZEL, R. See ZIRWER, BUDER, SCHÄLIKE, and WETZEL, 431
WHITESCARVER, J. See RECHER, WHITESCARVER, and BRIGGS, 479
WIENER, JOSEPH. See GIACOMELLI, WIENER, and SPIRO, 188
WINSTON, R. ALAN. See BOSMANN and WINSTON, 23
WITTNER, MURRAY. See ROSENBAUM and WITTNER, 367
WOOD, RICHARD L., and LEGG, PETER G. Peroxidase activity in rat liver microbodies after aminotriazole inhibition, 576
—. See LEGG and WOOD, 118

Y

YAMANO, TOSHIO. See ICHIKAWA, KURODA, and YAMANO, 640
YOO, BONG YUL. Ultrastructural changes in cells of pea embryo radicles during germination, 158

Z

ZIRWER, D., BUDER, E., SCHÄLIKE, W., and WETZEL, R. Lineardichroitische Untersuchungen zur DNS-Organisation in Spermienköpfen von *Locusta migratoria* L., 431

INDEX TO SUBJECTS

A

Actinomycin-induced decrease in central granules within pores of nuclear envelope of amphibian oocytes, EM study, 445

Adrenal gland, of pig, beef, and rabbit, zonation of hemoprotein P-450 and cytochrome b_5 in adrenocortex of, biochemical study, 640

— hyperplasia, congenital, in rat, damage to mitochondria in, light and EM study, 455

Agar, soft, and liquid suspension, growth of embryonic chick cartilage cells in, cytological study, 434

Alga, chrysophycean *Pleurochrysis scherfellii*, scale formation in, cellulosic and noncellulosic wall components made by Golgi apparatus of, biochemical and EM study, 246

—, filamentous green *Zygnema*, quasicrystailine lamellar lattice in chloroplasts of, light and EM study, 522

Aminoacyl transferase I, activity of and cytoplasmic particles, in supernatant fluids of animal and plant cells and *Escherichia coli*, biochemical and EM study, 1

Aminotriazole, peroxidase activity in rat liver microbodies after inhibition by, cytochemical EM study, 576

Ammoniacal silver reaction for histones, in chick erythropoietic cells, light and EM study, 235

Ammonia excretion, in rat kidney, role of vesicles in, implication of glutamic oxalacetic transaminase activity, cytochemical EM study, 644

Amphibian, newt *Triturus alpestris*, oocytes, ultrastructure of nuclear envelope of, actinomycin-induced decrease in central granules within pores, EM study, 445

Anilinonaphthalenesulfonate, hydrophobic probe, binding of to human leukocytes and plasma cells, fluorescence microscopic study, 192

Anther, developing, of lily, low-resistance connections between cells in, electrophysiological and light microscopic study, 565

Antibody transport, in proximal small intestine of neonatal rat, immunological and EM study, 635

B

Bacteria *Escherichia coli* B, membrane modifications in nutritionally induced filamentous cell forms of, biochemical and EM study, 493

— *Klebsiella aerogenes*, undamped oscillations of pyridine nucleotide and oxygen tension in chemostat cultures of, biochemical study, 514

Beef, pig, and rabbit, adrenal gland, zonation of hemoprotein P-450 and cytochrome b_5 in adrenocortex of, biochemical study, 640

—, kidney, variations in sialic acid concentration of glomerular basement membrane preparations obtained by ultrasonic treatment, biochemical and EM study, 450

—, and rabbit, brain, comparative studies on mitochondria isolated from neuron-enriched and glia-enriched fractions of, biochemical and light EM study, 221

Bladder, of rat, isolation of plasma membrane of luminal surface of epithelium of, hexagonal lattice of subunits in negatively stained whole mounts and sectioned membranes, biochemical and EM study, 542

Blood cells, peripheral, of dogfish, macromolecular synthesis in, radioautographic and cytochemical light and EM study, 183

—, of human, binding of hydrophobic probe (1,8-anilinonaphthalenesulfonate) to leukocytes and plasma cells of, fluorescence microscopic study, 192

—, of human, demonstration of outer surface of freeze-etched red blood cell membranes of, EM study, 649

—, of rabbit, membrane splitting in freeze-etched red blood cells, covalently bound ferritin as membrane marker, EM study, 598

— vessels, arterial, from cerebral cortex of hypertensive rat, cross-striated arrays of filaments in endothelium of, EM study, 188

Bone marrow and blood, of rabbit and rat, segregation and packaging of granule enzymes in eosinophilic leukocytes of, cytochemical and EM study, 54

Brain, of beef and rabbit, comparative studies on mitochondria isolated from neuron-enriched and glia-enriched fractions of, biochemical and light and EM study, 221

Bridges, intermicrotubule, in mitotic spindle apparatus, of HeLa and WI-38 cells and plant *Haemanthus katherinae*, light and EM study, 438

C

Cancer cells, in tumors Sarcoma 180, Novikoff hepatoma and Morris hepatomas 3924-A and 7777, low-resistance junctions between, electrophysiological and cytochemical study, 91

Cartilage cells, of chick embryo, growth of in soft agar and liquid suspension, cytological study, 434

Catalase, incorporation of by rat liver peroxisomes, size distribution of peroxisomes, biochemical study, 408
Cations, magnesium, calcium, sodium, and potassium, intracellular localization of with potassium pyroantimonate, in rat liver and bean seeds and maize roots, microprobe and EM study, 355
Cell cycle, of L5178Y mouse lymphoma cells, synthesis of glycoprotein, glycolipid, protein, and lipid in, biochemical study, 23
— lines CMP and ME-180, human carcinoma, fine structure of nucleoli in, cytochemical and radioautographic EM study, 479
Cells, cancer, in tumors Sarcoma 180, Novikoff hepatoma and Morris hepatomas 3924–A and 7777, low-resistance junctions between, electrophysiological and cytochemical study, 91
—, cartilage, of chick embryo, growth of in soft agar and liquid suspension, cytological study, 434
—, Chinese hamster, synthesis of DNA in nucleolus of, radioautographic study, 181
—, columnar, of rat duodenal epithelium, migration of glycoprotein from Golgi apparatus to cell coat in, radioautographic light and EM study, 668
—, eosinophilic leukocytes, in rat and rabbit bone marrow and blood, segregation and packaging of granule enzymes in, cytochemical and EM study, 54
—, erythrocytes, of human, demonstration of outer surface of freeze-etched membranes of, EM study, 649
—, erythrocytes, of rabbit, membrane splitting in freeze-etching, covalently bound ferritin as membrane marker, EM study, 598
—, erythropoietic, of chick, ammoniacal silver reaction for histones in, light and EM study, 235
—, granule, of mouse cerebellum, in vitro behavior of, light and EM study, 212
—, HeLa, absence of translational control of histone synthesis during life cycle of, biochemical study, 509
—, HeLa, L-929 mouse fibroblasts, and Chinese hamster cells, association of saltatory movements with microtubules in, cinemicrographic and cytochemical and EM study, 334
—, HeLa and WI-38, and plant *Haemanthus katherinae*, intermicrotubule bridges in mitotic spindle apparatus of, light and EM study, 438
—, mammary, of mouse, filaments in division furrow of, light and EM study, 461
—, mouse L-cell fibroblasts, aberrant intranucleolar maturation of ribosomal precursors in absence of protein synthesis in, biochemical study, 554
—, of radicles of pea embryo, ultrastructural changes in during germination, histological and EM study, 158
—, of rat liver, controlled proteolysis of nascent polypeptides, location of polypeptides within ribosomes of, biochemical study, 130
—, of rat liver, controlled proteolysis of nascent polypeptides in, location of polypeptides in rough microsomes of, biochemical and EM study, 146
—, of sea urchin *Strongylocentrotus drobachiensis*, *Strongylocentrotus purpuratus*, and *Lytechinus variagatus*, starfish *Pisaster ochraceous*, and annelis *Pectinaris gouldii*, reversal by light of action of N-methyl N-desacetyl colchicine on mitosis in, spectrophotometric study, 470
Cells, peripheral blood, of dogfish, macromolecular synthesis in, radioautographic and cytochemical light and EM study, 183
—, plasma-cell tumors MOPC-104E and RPC-20, rabbit reticulocytes, human erythrocytes, pea seedlings, *Escherichia coli*, and rat liver ribosomes, cytoplasmic particles and aminoacyl transferase I activity in supernatant fluids from, biochemical and EM study, 1
—, plasma and leukocytes, of human, binding of hydrophobic probe (anilinonaphthalenesulfonate) to, fluorescence microscopic study, 192
—, 37 RC line, infected with poliovirus, formation of helical polyribosomes in, biochemical and EM study, 173
—, Sendai virus (Para-influenza I), controlled production of proliferating somatic cell hybrids of, biochemical and cytogenetic study, 74
—, 3T6 mouse embryo and human synovial, in tissue culture, new rapid method for isolation of surface membranes from, biochemical and phase and EM study, 662
Cellular sources, multiple, of lysosomes in rat skeletal muscle, zonal centrifugation evidence for, biochemical study, 321
Cellulose formation by Golgi apparatus of chrysophycean algae, scales in cell wall, biochemical and EM study, 246
Centrioles, in oocyte of *Drosophila melanogaster*, intercellular migration of, EM study, 306
Cerebellum, of mouse, in vitro behavior of granule cells of, light and EM study, 212
Chemostat cultures, of *Klebsiella aerogenes*, oscillations of pyridine nucleotide and oxygen tension in, biochemical study, 514
Chick, embryo, cartilage cells, growth of in soft agar and liquid suspension, cytological study, 434
—, embryonic and hatched, corneal epithelium, intracellular position of Golgi apparatus in during development, light and EM study, 34
—, erythropoietic cells, ammoniacal silver reaction for histones in, light and EM study, 235
Chicken fibroblasts, DNA synthetic pattern in nucleolus of, radioautographic study, 177
Chinese hamster cells, synthesis of DNA in nucleolus of, radioautographic study, 181
Chloroplasts and mitochondria, of *Beta vulgaris*, DNA-regions and membranes in, EM study, 198
—, of green alga *Zygnema*, quasicrystalline lamellar lattice in, light and EM study, 522
Chromosomes, XY, in human spermatocytes, three-dimensional reconstruction of, EM study, 43
Cilia, of protozoa *Euplotes eurystomus*, *Spirostomum ambiguum*, *Tetrahymena pyriformis*, and *Colpoda*, and insect *Oncopeltus fasciatus*, ultrastructure of microtubules of after critical point drying, EM study, 466
— and vesicular particles, in endocrine pancreas of Mongolian gerbil, light and EM study, 532

Clofibrate (CPIB), microbodies of rat liver after administration of, cytochemical light and EM study, 118
Colchicine, *N*-methyl *N*-desacetyl (Colcemid), reversal by light of action of, on mitosis in sea urchin, starfish and annelid cells, spectrophotometric study, 470
Cornea, of chick embryo, intracellular position of Golgi apparatus in epithelium of during development, light and EM study, 34
Cricket *Acheta domesticus*, *Acheta assimilis*, and *Oecanthus quadripunctatus*, fine structure and arrangement of microcylinders in lumina of flagellar fibers in spermatids of, EM study, 416
Crystalline components, of fertilization membrane of sea urchin *Strongylocentrotus purpuratus*, biochemical and EM study, 606
Cycloheximide, effect of on intranucleolar maturation of ribosomal precursors, in mouse L-cell fibroblasts, biochemical study, 554
Cytochrome b_5 and hemoprotein P-450, zonation of in adrenocortex of mammals, biochemical study, 640
Cytoplasm, and nucleus, of cellular slime mold amobas *Dictyostelium discoideum*, RNA in, biochemical study, 399
—, of rat sympathetic neurons, inclusions (nematosomes) resembling nucleoli in, cytochemical light and EM study, 100
Cytoplasmic particles, and aminoacyl transferase I activity, in supernatant fluids of animal and plant cells, and *Escherichia coli*, biochemical and EM study, 1

D

Division furrow, of mouse mammary cells, filaments in, light and EM study, 461
DNA organization in sperm heads of *Locusta migratoria* L., linear dichroism study, 431
— regions and membranes, in chloroplasts and mitochondria of *Beta vulgaris*, EM study, 198
— synthesis in dogfish peripheral blood cells, radioautographic and cytochemical light and EM study, 183
—, synthesis of in nucleolus of chicken fibroblasts, radioautographic study, 177
—, synthesis of in nucleolus of Chinese hamster cells, radioautographic study, 181
Dogfish *Mustelus canis*, macromolecular synthesis in peripheral blood cells of, radioautographic and cytochemical light and EM study, 183
Duodenum, of rat, migration of glycoprotein from Golgi apparatus to cell coat in columnar cells of epithelium of, radioautographic light and EM study, 668

E

Egg, of sea urchin *Colobocentrotus atratus* and *Pseudoboletia indiana*, direct isolation of hyaline layer protein released from cortical granules of at fertilization, biochemical study, 615
Embryo, of chick, cartilage cells, growth of in soft agar and liquid suspension, cytological study, 434
Embryo, of chick, corneal epithelium, intracellular position of Golgi apparatus in during development, light and EM study, 34
—, of pea *Pisum sativum*, ultrastructural changes in cells of radicles of during germination, histological and EM study, 158
—, of rat, mitochondrial damage in experimental congenital adrenal hyperplasia, light and EM study, 455
Endothelium, of cerebral cortical arterial vessels of hypertensive rat, cross-striated arrays of filaments in, EM study, 188
Envelope, nuclear, of gas gland of fish *Perca fluviatilis*, formation of multivesicular bodies from, EM study, 205
Enzyme, aminoacyl transferase I, activity of and cytoplasmic particles, in supernatant fluids of animal and plant cells and *Escherichia coli*, biochemical and EM study, 1
—, glutamic oxalacetic transaminase, concentrated activity of in rat kidney, role of vesicles in renal ammonia formation, cytochemical EM study, 644
Enzymes, peroxidase, acid phosphatase, and arylsulfatase, segregation and packaging of into granules in eosinophilic leukocytes, cytochemical and EM study, 54
Eosinophils, in rat and rabbit bone marrow and blood, segregation and packaging of granule enzymes in, cytochemical and EM study, 54
Epithelium, of chick embryo cornea, intracellular position of Golgi apparatus in during development, light and EM study, 34
—, of mouse trachea, stereoscope observation of, high voltage EM study, 654
—, of rat bladder, isolation of plasma membrane of luminal surface of, hexagonal lattice of subunits in negatively stained whole mounts and sectioned membranes, biochemical and EM study, 542
Erythropoietic cells, of chick, ammoniacal silver reaction for histones in, light and EM study, 235

F

Ferritin, covalently bound, membrane marker in freeze-etched red blood cell ghosts, EM study, 598
Fertilization membrane, of sea urchin *Strongylocentrotus purpuratus*, reconstitution of crystalline components of, biochemical and EM study, 606
Fibers, degenerating unmyelinated, of rat dorsal root ganglia, transient phase of focal swelling in, light and EM study, 9
Fibroblasts, of chicken, DNA synthetic pattern in nucleolus of, radioautographic study, 177
Filamentous cell forms of *Escherichia coli* B, nutritionally induced, membrane modifications in, biochemical and EM study, 493
Filaments in division furrow, of mouse mammary cells, light and EM study, 461
—, with cross-striations, in endothelium of cerebral cortical arterial vessels of hypertensive rat, EM study, 188
Fish *Perca fluviatilis*, gas gland, formation of multi-

vesicular bodies from nuclear envelope of, EM study, 205
Flagellar fibers, in cricket spermatids, fine structure and arrangement of microcylinders in lumina of, EM study, 416
Freeze-etched red blood cell ghosts, membrane splitting in, covalently bound ferritin as membrane marker, EM study, 598
— red blood cell membranes, demonstration of outer surface of, EM study, 649

G

Gas gland, of fish *Perca fluviatilis*, formation of multivesicular bodies from nuclear envelope of, EM study, 205
Gerbil, Mongolian, *Meriones unguiculatus*, cilia and vesicular particles in endocrine pancreas of, light and EM study, 532
Germination, of pea embryo, ultrastructural changes in cells of radicle during, histological and EM study, 158
Glia-enriched and neuron-enriched fractions, of rabbit and beef brain, comparative studies on mitochondria from, biochemical and light and EM study, 221
Glomerular basement membrane preparations obtained by ultrasonic treatment, variations in sialic acid concentration of, biochemical and EM study, 450
Glycogen, of insect flight muscle, isolation, ultrastructure and biochemical characterization of, biochemical and EM study, 83
Glycolipid, glycoprotein, protein, and lipids, synthesis of in synchronized L5178Y cells, biochemical study, 23
Glycoprotein, deficiency of in cell envelope of nutritionally induced filamentous *Escherichia coli* B, biochemical and EM study, 493
—, glycolipid, protein, and lipid, synthesis of in synchronized L5178Y cells, biochemical study, 23
—, migration from Golgi apparatus to cell coat in columnar cells of rat duodenal epithelium, radioautographic light and EM study, 668
Golgi apparatus, in chick corneal epithelium, intracellular position of during development, light and EM study, 34
— apparatus, of chrysophycean alga *Pleurochrysis scherfellii*, wall components made by, biochemical and EM study, 246
— apparatus, of rat duodenal epithelium, migration of glycoprotein from to cell coat in columnar cells, radioautographic light and EM study, 668
Granule cells, of mouse cerebellum, in vitro behavior of, light and EM study, 212
— fractions from rabbit heterophil leukocytes, biochemical and EM study, 586
Granules, central, in pores of nuclear envelope of amphibian oocyte, actinomycin-induced decrease in, EM study, 445
—, cortical, of sea urchin egg, direct isolation of hyaline layer protein released from at fertilization, biochemical study, 615
—, in eosinophilic leukocytes, segregation and packaging of enzymes into, cytochemical and EM study, 54

H

HeLa cell life cycle, absence of translational control of histone synthesis during, biochemical study, 509
Helical bodies, ultrastructure of in bacterized and axenic trophozoites of *Entamoeba histolytica*, biochemical and EM study, 367
Hemoprotein P-450 and cytochrome b_5, zonation of in adrenocortex of mammals, biochemical study, 640
Histone synthesis, absence of translational control of during HeLa cell life cycle, biochemical study, 509
Histones, in chick erythropoietic cells, ammoniacal silver reaction for, light and EM study, 235
Human, blood, binding of hydrophobic probe (1,8-anilinonaphthalenesulfonate) to leukocytes and plasma cells of, fluorescence microscopic study, 192
—, blood, demonstration of outer surface of freeze-etched red blood cell membranes of, EM study, 649
—, carcinoma cell lines CMP and ME-180, fine structure of nucleoli in, cytochemical and radioautographic EM study, 479
—, spermatocytes, three-dimensional reconstruction of XY chromosomal pair in, EM study, 43
Hyaline layer protein released from cortical granules of sea urchin egg at fertilization, isolation of, biochemical study, 615

I

Inclusions (nematosomes) resembling nucleoli, in cytoplasm of rat sympathetic neurons, cytochemical light and EM study, 100
Insect, blowfly *Phormia regina*, isolation, ultrastructure and biochemical characterization of glycogen of flight muscle of, biochemical and EM study, 83
— *Drosophila melanogaster*, intercellular migration of centrioles in germarium of, EM study, 306
— *Locusta migratoria* L., DNA organization in sperm heads of, linear dichroism study, 431
Intestine, small, selective antibody transport in proximal portion of, in neonatal rat, immunological and EM study, 635

J

Junctions, intercellular, zonulae occludentes and gap junctions, in mouse liver, biochemical and EM study, 272
—, low-resistance, between cancer cells in tumors Sarcoma 180, Novikoff hepatoma, and Morris hepatomas 3924-A and 7777, electrophysiological and cytochemical study, 91
—, low-resistance, between cells in developing anther of lily, electrophysiological and light microscope study, 565

K

Kidney, beef, variations in sialic acid concentrations of glomerular basement membrane preparations obtained by ultrasonic treatment, biochemical and EM study, 450
—, of rat, role of vesicles in renal ammonia excretion,

implication of glutamic oxalacetic transaminase activity, cytochemical EM study, 644

L

Lattice, hexagonal, of subunits in negatively stained whole mounts and sectioned membranes, of plasma membrane of luminal surface of rat bladder epithelium, biochemical and EM study, 542
—, quasicrystalline lamellar, in chloroplasts of green alga *Zygnema*, light and EM study, 522
Leukocytes, eosinophilic, in rat and rabbit bone marrow and blood, segregation and packaging of granule enzymes in, cytochemical and EM study, 54
—, heterophil, of rabbit, four granule fractions from, biochemical and EM study, 586
Light, reversal by of action of *N*-methyl *N*-desacetyl colchicine on mitosis in sea urchin, starfish and annelid cells, spectrophotometric study, 470
Lipid, protein, glycoprotein, and glycolipid, synthesis of in synchronized L5178Y cells, biochemical study, 23
Liver cells, of rat, controlled proteolysis of nascent polypeptides in, location of polypeptides in rough microsomes of, biochemical and EM study, 146
—, cells, of rat, controlled proteolysis of nascent polypeptides, location of polypeptides within ribosomes of, biochemical activity, 130
—, of mouse, intercellular junctions in, biochemical and EM study, 272
—, of rat, and bean seeds and maize roots, intracellular localization of inorganic cations with potassium pyroantimonate, microprobe and EM study, 355
—, of rat, microbodies of after Clofibrate (CPIB) administration, cytochemical light and EM study, 118
—, of rat, peroxidase activity in microbodies of after aminotriazole inhibition, cytochemical EM study, 576
—, of rat, properties of mitochondrial inner membrane fraction deficient in outer membrane and matrix activities, biochemical and EM study, 291
—, of rat, size distribution of peroxisomes and incorporation of new catalase, biochemical study, 408
Lumen, of flagellar fibers in cricket spermatids, fine structure and arrangement of microcylinders in, EM study, 416
Lysosomes, in rat skeletal muscle, zonal centrifugation evidence for multiple cellular sources of, biochemical study, 321

M

Mammary cells, of mouse, filaments in division furrow of, light and EM study, 461
Membrane, fertilization, of sea urchin *Strongylocentrotus purpuratus*, reconstitution of crystalline components of, biochemical and EM study, 606
—, glomerular, obtained by ultrasonic treatment, variations in sialic acid concentration of, biochemical and EM study, 450
Membrane, inner, of rat liver mitochondria, properties of fraction of deficient in outer membrane and matrix activities, biochemical and EM study, 291
— modifications in nutritionally induced filamentous *Escherichia coli* B, biochemical and EM study, 493
—, plasma, of luminal surface of rat bladder epithelium, hexagonal lattice of subunits in negatively stained whole mounts and sectioned membranes, biochemical and EM study, 542
— splitting in freeze-etched rabbit red blood cell ghosts, covalently bound ferritin as membrane marker, EM study, 598
Membranes and DNA regions, in chloroplasts and mitochondria of *Beta vulgaris*, EM study, 198
—, of freeze-etched red blood cells, demonstration of outer surface of, EM study, 649
—, surface, new rapid method for isolation of from tissue culture cells, biochemical and phase and EM study, 662
Microbodies, of rat liver, after administration of Clofibrate (CPIB), cytochemical light and EM study, 118
—, of rat liver, peroxidase activity in after aminotriazole inhibition, cytochemical EM study, 576
Microcylinders, fine structure and arrangement of in lumina of flagellar fibers in cricket spermatids, EM study, 416
Microsomes, rough, of rat liver cells, controlled proteolysis and location of nascent polypeptides in, biochemical and EM study, 146
Microtubule bridges, in mitotic spindle apparatus, of HeLa and WI-38 cells and plant *Haemanthus katherinae*, light and EM study, 438
Microtubules, in cultured cells, association of with saltatory movements, cinemicrographic and cytochemical and EM study, 334
—, of cilia of protozoa *Euplotes eurystomus*, *Spirostomum ambiguum*, *Tetrahymena pyriformis*, and *Colpoda*, and insect *Oncopeltus fasciatus*, ultrastructure of after critical point drying, EM study, 466
Mitochondria and chloroplasts, of *Beta vulgaris*, DNA regions and membranes in, EM study, 198
—, of adrenal cortex in rat embryo, damage in experimental congenital adrenal hyperplasia, light and EM study, 455
—, of neuron-enriched and glia-enriched fractions of rabbit and beef brain, biochemical and light and EM study, 221
—, of rat liver, properties of inner membrane fraction of deficient in outer membrane and matrix activities, biochemical and EM study, 291
Mitosis, in sea urchin *Strongylocentrotus drobachiensis*, *Strongylocentrotus purpuratus*, and *Lytechinus variagatus*, starfish *Pisaster ochraceous*, and annelid *Pectinaria gouldii*, reversal by light of action of *N*-methyl *N*-desacetyl colchicine on, spectrophotometric study, 470
Mouse, cerebellum, in vitro behavior of granule cells of, light and EM study, 212
—, liver, intercellular junctions in, biochemical and EM study, 272
—, lymphoma cell line L5178Y, synthesis of glycoprotein, glycolipid, protein, and lipid in, biochemical study, 23

Mouse, mammary cells, filaments in division furrow of, light and EM study, 461
—, trachea, stereoscope observation of epithelium of, high-voltage EM study, 654
Muscle, flight, of insect *Phormia regina*, isolation, ultrastructure, and biochemical characterization of glycogen of, biochemical and EM study, 83
—, skeletal, of rat, lysosomes in, zonal centrifugation evidence for multiple cellular sources, biochemical study, 321

N

Nematosomes, cytoplasmic inclusions resembling nucleoli, in sympathetic neurons of adult rat, cytochemical light and EM study, 100
Nerve fibers, degenerating unmyelinated, of rat dorsal root ganglia, transient phase of focal swelling in, light and EM study, 9
Neuron-enriched and glia-enriched fractions, of rabbit and beef brain, comparative studies on mitochondria from, biochemical and light and EM study, 221
Neurons, sympathetic, of adult rat, cytoplasmic inclusions (nematosomes) resembling nucleoli in, cytochemical light and EM study, 100
Nuclear envelope, of amphibian oocytes, ultrastructure of, actinomycin-induced decrease in central granules within pores, EM study, 445
— envelope, of gas gland of fish *Perca fluviatilis*, formation of multivesicular bodies from, EM study, 205
Nucleolar particles, in mouse L-cell fibroblasts, aberrant maturation of ribosomal precursors in absence of protein synthesis in, biochemical study, 554
Nucleoli, of human tissue culture cells CMP and ME-180, cytochemical and radioautographic EM study, 479
Nucleolus, of chicken fibroblasts, synthesis of DNA in, radioautographic study, 177
—, of Chinese hamster cells, synthesis of DNA in, radioautographic study, 181
Nucleus, and cytoplasm, of cellular slime mold amebas *Dictyostelium discoideum*, RNA in, biochemical study, 399

O

Oocyte, of *Drosophila melanogaster*, intercellular migration of centrioles in, EM study, 306
Oocytes, of newt *Triturus alpestris*, ultrastructure of nuclear envelope of, actinomycin-induced decrease in central granules within pores, EM study, 445
Oscillations of pyridine nucleotide and oxygen tension, in chemostat cultures of *Klebsiella aerogenes*, biochemical study, 514
Oxygen tension and pyridine nucleotide, oscillations of in chemostat cultures of *Klebsiella aerogenes*, biochemical study, 514

P

Pancreas, endocrine, of Mongolian gerbil, cilia and vesicular particles, in, light and EM study, 532
Particles, cytoplasmic, and aminoacyl transferase I activity, in supernatant fluids of animal and plant cells and *Escherichia coli*, biochemical and EM study, 1
—, vesicular, and cilia, in endocrine pancreas of Mongolian gerbil, light and EM study, 532
Peroxidase activity in rat liver microbodies after amino-triazole inhibition, cytochemical EM study, 576
Peroxisomes, of rat liver, size distribution of and incorporation of new catalase, biochemical study, 408
Pig, beef, and rabbit, adrenal gland, zonation of hemoprotein P-450 and cytochrome b_5 in adrenocortex of, biochemical study, 640
Plant, African blood lily *Haemanthus katherinae*, and human cells HeLa and WI-38, intermicrotubule bridges in mitotic spindle apparatus of, light and EM study, 438
—, bean *Phaseolus vulgaris*, fine structure of plastids and starch deposits in sieve elements of, cytochemical light and EM study, 383
— *Beta vulgaris*, DNA regions and membranes in chloroplasts and mitochondria of, EM study, 198
—, broad bean seeds and maize roots, and rat liver, intracellular localization of inorganic cations with potassium pyroantimonate, microprobe and EM study, 355
—, lily *Lilium longiflorum*, low-resistance connections between cells in developing anther of, electrophysiological and light microscopic study, 565
—, pea *Pisum sativum*, embryo radicles, ultrastructural changes in cells of during germination, histological and EM study, 158
Plastids and starch deposits, in sieve elements of bean *Phaseolus vulgaris*, cytochemical light and EM study, 383
Poliovirus-infected cells of 37 RC line, formation of helical polyribosomes in, biochemical and EM study, 173
Polypeptides, controlled proteolysis of in rat liver cell fractions, location of in rough microsomes, biochemical and EM study, 146
—, controlled proteolysis of in rat liver cell fractions, location of within ribosomes, biochemical study, 130
Polyribosomes, helical, formation of in poliovirus-infected cells of 37 RC line, biochemical and EM study, 173
Potassium pyroantimonate, intracellular localization of inorganic cations with, in rat liver and bean seeds and maize roots, microprobe and EM study, 355
Procion Yellow M4RS, staining properties of, in frog sciatic nerve, nerve muscle preparation, retina, crayfish nerve cord, and toad bladder, histological study, 659
Protein, lipid, glycoprotein, and glycolipid, synthesis of in synchronized L5178Y cells, biochemical study, 23
—, of hyaline layer of sea urchin egg, released from cortical granules at fertilization, biochemical study, 615

Protein synthesis, aberrant intranucleolar maturation of ribosomal precursors in absence of, in mouse L-cell fibroblasts, biochemical study, 554
Proteolysis, controlled, of nascent polypeptides in rat liver cell fractions, location of polypeptides in rough microsomes, biochemical and EM study, 146
—, controlled, of nascent polypeptides in rat liver cell fractions, location of polypeptides within ribosomes, biochemical study, 130
Protozoa *Euplotes eurystomus*, *Spirostomum ambiguum*, *Tetrahymena pyriformis* and *Colpoda*, and insect *Oncopeltus fasciatus*, ultrastructure of ciliary microtubules of after critical point drying, EM study, 466
Protozoan *Entamoeba histolytica*, ultrastructure of bacterized and axenic trophozoites of, helical bodies of, biochemical and EM study, 367
—, slime mold amebas *Dictyostelium discoideum*, RNA in cytoplasmic and nuclear fractions of, biochemical study, 399
— *Tetrahymena pyriformis*, synthesis of ribosomal RNA in, biochemical study, 623
Pyridine nucleotide and oxygen tension, oscillations of in chemostat culture of *Klebsiella aerogenes*, biochemical study, 514

R

Rabbit, and beef brain, comparative studies on mitochondria isolated from neuron-enriched and glia-enriched fractions of, biochemical and light and EM study, 221
—, beef, and pig, adrenal gland, zonation of hemoprotein P-450 and cytochrome b_5 in adrenocortex of, biochemical study, 640
—, blood, membrane splitting in freeze-etched red blood cells, covalently bound ferritin as membrane marker, EM study, 598
—, heterophil leukocytes, four granule fractions from, biochemical and EM study, 586
— and rat, bone marrow and blood, segregation and packaging of granule enzymes in eosinophilic leukocytes of, cytochemical and EM study, 54
Radicle, of pea embryo, ultrastructural changes in cells of during germination, histological and EM study, 158
Radioactive label, ADP-^{14}C, $^{33}PO_4$, and $^{45}CaCl_2$, properties of mitochondrial inner membrane fraction deficient in outer membrane and matrix activities, biochemical and EM study, 291
— label, amino acids-^{14}C and uridine-^{3}H, RNA in cytoplasmic and nuclear fractions of cellular slime mold amebas, biochemical study, 399
— label, galactose-^{3}H, migration of glycoprotein from Golgi apparatus to cell coat in columnar cells of rat duodenal epithelium, radioautographic light and EM study, 668
— label, glucosamine-^{14}C and uridine-^{14}C, membrane modifications in nutritionally induced filamentous *Escherichia coli* B, biochemical and EM study, 493
— label, leucine-^{14}C, comparative studies on mitochondria isolated from neuron-enriched and glia-enriched fractions of rabbit and beef brain, biochemical and light and EM study, 221
Radioactive label, leucine-^{14}C and leucine-^{3}H, controlled proteolysis of nascent polypeptides in at liver cell fractions, location of polypeptides in rough microsomes, biochemical and EM study, 146
— label, leucine-^{14}C and leucine-^{3}H, controlled proteolysis of nascent polypeptides in rat liver cell fractions, location of polypeptides within ribosomes, biochemical study, 130
— label, leucine-^{3}H, formation of helical polyribosomes in poliovirus-infected cells of 37 RC line, biochemical and EM study, 173
— label, leucine-^{3}H, glucosamine-^{14}C, fucose-^{3}H, thymidine-^{3}H, choline-^{14}C, GDP-mannose-^{14}C, UDP-arabinose-^{14}C, UDP-galactose-^{14}C, UDP-glucose-^{14}C, UDP-xylose-^{14}C, UDP-acetylgalactosamine-^{14}C, and GDP-fucose-^{14}C, synthesis of glycolipid, glycoprotein, protein, and lipid in synchronized L5178Y cells, biochemical study, 23
— label, leucine-^{3}H, size distribution of rat liver peroxisomes and incorporation of new catalase, biochemical study, 408
— label, leucyl-RNA-^{14}C and *E. coli* aminoacyl-RNA-^{14}C, cytoplasmic particles and aminoacyl transferase I activity, in supernatant fluids of animal and plant cells and *Escherichia coli*, biochemical and EM study, 1
— label, thymidine-^{3}H, cytidine-^{3}H, and leucine-^{3}H, macromolecular synthesis in dogfish peripheral blood cells, radioautographic and cytochemical light and EM study, 183
— label, thymidine-^{3}H, fine structure of human tissue culture cell nucleoli, cytochemical and radioautographic EM study, 479
— label, thymidine-^{3}H, synthesis of DNA in nucleolus in chicken fibroblasts, radioautographic study, 177
— label, thymidine-^{3}H, synthesis of DNA in nucleolus of Chinese hamster cells, radioautographic study, 181
— label, tryptophan-^{3}H and lysine-^{14}C, absence of translational control of histone synthesis during HeLa cell life cycle, biochemical study, 509
— label, uridine-^{3}H and $Na_3{}^{32}PO_4$, aberrant intranucleolar maturation of ribosomal precursors in absence of protein synthesis in mouse L-cell fibroblasts, biochemical study, 554
— label, uridine-^{3}H, ribosome synthesis in *Tetrahymena pyriformis*, biochemical study, 623
Rat, adult, sympathetic neurons, cytoplasmic inclusions (nematosomes) resembling nucleoli in, cytochemical light and EM study, 100
—, bladder, isolation of plasma membrane of luminal surface of epithelium of, hexagonal lattice of subunits in negatively stained whole mounts and sectioned membranes, biochemical and EM study, 542
—, dorsal root ganglia, transient phase of focal swelling in degenerating unmyelinated nerve fibers of, light and EM study, 9
—, duodenum, migration of glycoprotein from Golgi apparatus to cell coat in columnar cells of epithelium of, radioautographic light and EM study, 668

Rat, embryo, mitochondrial damage in experimental congenital adrenal hyperplasia, light and EM study, 455
—, hypertensive, cerebral cortical arterial vessels, cross-striated arrays of filaments in endothelium of, EM study, 188
—, kidney, role of vesicles in renal ammonia excretion, implication of glutamic oxalacetic transaminase activity, cytochemical EM study, 644
—, liver, and bean seeds and maize roots, intracellular localization of inorganic cations with potassium pyroantimonate, microprobe and EM study, 355
—, liver cells, controlled proteolysis of nascent polypeptides in, location of polypeptides in rough microsomes of, biochemical and EM study, 146
—, liver cells, controlled proteolysis of nascent polypeptides in, location of polypeptides within ribosomes of, biochemical study, 130
—, liver, microbodies of after Clofibrate (CPIB) administration, cytochemical light and EM study, 118
—, liver mitochondria, properties of inner membrane fraction deficient in outer membrane and matrix activities, biochemical and EM study, 291
—, liver, peroxidase activity in microbodies of after amino-triazole inhibition, cytochemical EM study, 576
—, liver, size distribution of peroxisomes and incorporation of new catalase, biochemical study, 408
—, neonatal, selective antibody transport in proximal small intestine of, immunological and EM study, 635
—, skeletal muscle, lysosomes in, zonal centrifugation evidence for multiple cellular sources, biochemical study, 321
Ribosome synthesis of RNA in *Tetrahymena pyriformis*, biochemical study, 623
Ribosomes, in mouse L-cell fibroblasts, aberrant intranucleolar maturation of RNA precursors in, in absence of protein synthesis, biochemical study, 554
—, of rat liver cells, controlled proteolysis and location of nascent polypeptides in, biochemical study, 130
RNA, aberrant intranucleolar maturation of ribosomal precursors of in absence of protein synthesis, in mouse L-cell fibroblasts, biochemical study, 554
—, in cytoplasmic and nuclear fractions, of cellular slime mold amebas, biochemical study, 399
— synthesis, in ribosomes of *Tetrahymena pyriformis*, biochemical study, 623

S

Saltatory movements, association of with microtubules in cultured cells, cinemicrographic and cytochemical and EM study, 334
Scale formation, in chrysophycean algae, cellulosic and noncellulosic wall components made by Golgi apparatus of, biochemical and EM study, 246
Sea urchin *Colobocentrotus atratus* and *Pseudoboletia indiana*, direct isolation of hyaline layer protein released from cortical granules of egg at fertilization, biochemical study, 615
— *Strongylocentrotus purpuratus*, reconstitution of crystalline components of fertilization membrane of, biochemical and EM study, 606
Sialic acid, variations in concentration of in glomerular basement membrane preparations obtained by ultrasonic treatment, biochemical EM study, 450
Sieve element, of bean *Phaseolus vulgaris*, fine structure of plastids and starch deposits in, cytochemical light and EM study, 383
Somatic cell hybrids, proliferating, of Sendai virus (Para-influenza I), controlled production of, biochemical and cytogenetic study, 74
Spermatid, of cricket, fine structure and arrangement of microcylinders in lumina of flagellar fibers in, EM study, 416
Spermatocytes, of human, three-dimensional reconstruction of XY chromosomal pair in, EM study, 43
Sperm heads, of insect *Locusta migratoria L.*, DNA organization in, linear dichroism study, 431
Spindle apparatus, mitotic, in plant *Haemanthus katherinae* and HeLa and WI-38 cells, intermicrotubule bridges in, light and EM study, 438
Starch, in sieve elements of bean *Phaseolus vulgaris*, cytochemical light and EM study, 383
Surface, outer, of freeze-etched red blood cell membranes, EM study, 649
Swelling, focal, transient phase of, in degenerating unmyelinated fibers of rat dorsal root ganglia, light and EM study, 9

T

Tissue culture cells, 3T6 mouse embryo and human synovial, new rapid method for isolation of surface membranes from, biochemical and phase and EM study, 662
— culture, of human carcinoma cell lines CMP and ME-180, fine structure of nucleoli of, cytochemical and radioautographic EM study, 479
Tissues, frog sciatic nerve, nerve muscle preparation, retina, crayfish nerve cord, and toad bladder, staining properties of Procion Yellow M4RS, histological study, 659
Trachea, of mouse, stereoscope observation of epithelium of, high-voltage EM study, 654
Trophozoites, bacterized and axenic, of *Entamoeba histolytica*, ultrastructure of, particular reference to helical bodies, biochemical and EM study, 367
Tumors, Sarcoma 180, Novikoff hepatoma, and Morris hepatomas 3924-A and 7777, low-resistance junctions between cancer cells in, electrophysiological and cytochemical study, 91

U

Ultrasonic treatment of beef kidney, variations in sialic acid concentration of glomerular basement

membrane preparations obtained by, biochemical and EM study, 450

V

Vesicles, subapical, of rat kidney, role of in renal ammonia excretion, implication of glutamic oxalacetic transaminase activity, cytochemical EM study, 644

Vesicular bodies, formation of from nuclear envelope of gas gland of fish *Perca fluviatilis*, EM study, 205

— particles and cilia, in endocrine pancreas of Mongolian gerbil, light and EM study, 532

Virus, Sendai, (Para-influenza I), controlled production of proliferating somatic cell hybrids by, biochemical and cytogenetic study, 74

W

Wall, of chrysophycean algae, cellulosic and noncellulosic components of made by Golgi apparatus, biochemical and EM study, 246

X

XY chromosomal pair, in human spermatocytes, three-dimensional reconstruction of, EM study, 43